



King's Research Portal

DOI:

[10.1080/15548627.2017.1317913](https://doi.org/10.1080/15548627.2017.1317913)

Document Version

Publisher's PDF, also known as Version of record

[Link to publication record in King's Research Portal](#)

Citation for published version (APA):

Gomez-Suaga, P., Paillusson, S., & Miller, C. C. J. (2017). ER-mitochondria signaling regulates autophagy. *Autophagy*, 1-2. <https://doi.org/10.1080/15548627.2017.1317913>

Citing this paper

Please note that where the full-text provided on King's Research Portal is the Author Accepted Manuscript or Post-Print version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version for pagination, volume/issue, and date of publication details. And where the final published version is provided on the Research Portal, if citing you are again advised to check the publisher's website for any subsequent corrections.


General rights

Copyright and moral rights for the publications made accessible in the Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognize and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Research Portal

Take down policy

If you believe that this document breaches copyright please contact librarypure@kcl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.



ER-mitochondria signaling regulates autophagy

Patricia Gomez-Suaga , Sebastien Paillusson & Christopher C. J. Miller

To cite this article: Patricia Gomez-Suaga , Sebastien Paillusson & Christopher C. J. Miller (2017): ER-mitochondria signaling regulates autophagy, *Autophagy*, DOI: 10.1080/15548627.2017.1317913

To link to this article: <http://dx.doi.org/10.1080/15548627.2017.1317913>



© 2017 The Author(s). Published with license by Taylor & Francis© Patricia Gomez-Suaga, Sebastien Paillusson, and Christopher C. J. Miller



Accepted author version posted online: 26 May 2017.
Published online: 26 May 2017.



Submit your article to this journal [↗](#)



Article views: 718



View related articles [↗](#)



View Crossmark data [↗](#)

ER-mitochondria signaling regulates autophagy

Patricia Gomez-Suaga , Sebastien Paillusson, and Christopher C. J. Miller

Department of Basic and Clinical Neuroscience, Institute of Psychiatry, Psychology and Neuroscience, Kings College London, London, UK

ABSTRACT

The endoplasmic reticulum (ER) and mitochondria form tight functional contacts that regulate several key cellular processes. The formation of these contacts involves “tethering proteins” that function to recruit regions of ER to mitochondria. The integral ER protein VAPB (VAMP associated protein B and C) binds to the outer mitochondrial membrane protein, RMDN3/PTPIP51 (regulator of microtubule dynamics 3) to form one such set of tethers. Recently, we showed that the VAPB-RMDN3 tethers regulate macroautophagy/autophagy. Small interfering RNA (siRNA) knockdown of VAPB or RMDN3 to loosen ER-mitochondria contacts stimulates autophagosome formation, whereas overexpression of VAPB or RMDN3 to tighten contacts inhibit their formation. Artificial tethering of ER and mitochondria via expression of a synthetic linker protein also reduces autophagy and this artificial tether rescues the effects of VAPB- or RMDN3-targeted siRNA loss on autophagosome formation. Finally, our studies revealed that the modulatory effects of ER-mitochondria contacts on autophagy involve their role in mediating ITPR (inositol 1,4,5-trisphosphate receptor) delivery of Ca^{2+} from ER stores to mitochondria.

ARTICLE HISTORY

Received 21 March 2017
Revised 24 March 2017
Accepted 5 April 2017

KEYWORDS



autophagy; calcium; endoplasmic reticulum; mitochondria; mitochondria-associated membranes; PTPIP51; VAPB

Signaling between ER and mitochondria is now known to regulate several fundamental physiological functions. This signaling involves close physical contacts between the 2 organelles such that up to approximately 20% of the mitochondrial surface is closely apposed to ER membranes. The regions of ER in contact with mitochondria are termed mitochondria-associated membranes (MAMs). The mechanisms by which ER membranes are recruited to mitochondria are not properly known but one route involves binding of the integral ER protein VAPB to the outer mitochondrial membrane protein RMDN3. VAPB and RMDN3 thus act as molecular scaffolds to tether the 2 organelles.

Our recent studies showed that experimental manipulation of VAPB and RMDN3 expression to increase and decrease ER-mitochondria contacts markedly affects autophagy. Overexpression of VAPB or RMDN3 to tighten ER-mitochondria contacts, impairs basal and chemical (rapamycin and Torin1)-induced autophagy by decreasing autophagosome formation. In contrast, siRNA-mediated loss of VAPB or RMDN3 to loosen contacts causes an induction of autophagy flux with a concomitant increase in the number of autophagic structures. Importantly, this VAPB and RMDN3 siRNA-mediated stimulation of autophagy is rescued by expression of a synthetic linker protein that artificially tethers ER and mitochondria. Thus, these effects of VAPB and RMDN3 manipulation on autophagy are a consequence of their ER-mitochondria tethering function and not some as yet unknown alternative function of VAPB and RMDN3.

Interestingly, we discovered that while tightening ER-mitochondria contacts by overexpression of VAPB or RMDN3 impairs rapamycin- and Torin1-induced autophagy, it does not affect autophagy induced by starvation. This suggests that the regulation of autophagy by ER-mitochondria signaling is at least partly dependent upon the nature of the autophagic stimulus. Rapamycin and Torin1 induce autophagy by selective inhibition of MTOR, whereas starvation-induced autophagy is a more complex mechanism involving a variety of other nutrient-sensing molecules. Thus, the different effects may be due to differences in the signaling mechanism by which these stimuli induce autophagy.

So how do the VAPB-RMDN3 tethers and ER-mitochondria signaling generate this effect on autophagy? A primary function of ER-mitochondria contacts is to facilitate ITPR-mediated delivery of Ca^{2+} from ER stores to mitochondria via VDAC (voltage dependent anion channel) and MCU (mitochondrial calcium uniporter). This Ca^{2+} is required by mitochondria for efficient ATP production because several dehydrogenases in the TCA cycle are Ca^{2+} -dependent. Thus, overexpression of VAPB or RMDN3 to tighten ER-mitochondria contacts enhances, whereas siRNA loss of VAPB or RMDN3 to loosen contacts inhibits Ca^{2+} exchange. A number of previous studies have shown that disruption of ITPR-mediated Ca^{2+} delivery stimulates autophagy. Consistent with these findings, we found that blocking ER-mitochondria Ca^{2+} exchange via ITPR antagonists or MCU-targeted siRNAs abrogate the effects of VAPB

CONTACT Christopher C. J. Miller  chris.miller@kcl.ac.uk  Department of Basic and Clinical Neuroscience, Maurice Wohl Clinical Neuroscience Institute, Institute of Psychiatry, Psychology and Neuroscience, Kings College London, 125 Coldharbour Lane Camberwell, London, SE5 9NU, UK.
Punctum to: Gomez-Suaga P, Paillusson S, Stoica R, Noble W, Hanger DP, Miller C. The ER-Mitochondria Tethering Complex VAPB-PTPIP51 Regulates Autophagy. *Current Biology* 2017; <https://doi.org/10.1016/j.cub.2016.12.038>.

© 2017 Patricia Gomez-Suaga, Sebastien Paillusson, and Christopher C. J. Miller. Published with license by Taylor & Francis.

This is an Open Access article distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivatives License (<http://creativecommons.org/licenses/by-nc-nd/4.0/>), which permits non-commercial re-use, distribution, and reproduction in any medium, provided the original work is properly cited, and is not altered, transformed, or built upon in any way.




Figure 1. Diagram illustrating the proposed mechanism by which the VAPB-RMDN3 ER-mitochondria tethering complex regulates autophagy. (A) VAPB or RMDN3 overexpression tightens ER-mitochondria contacts to enhance ITPR-mediated Ca^{2+} delivery to mitochondria, which in turn inhibits autophagosome formation. (B) siRNA-dependent loss of VAPB or RMDN3 loosens ER-mitochondria contacts to inhibit Ca^{2+} delivery and stimulate autophagosome formation.

and RMDN3 overexpression on autophagy. Thus the mechanism by which the VAPB-RMDN3 tethers regulates autophagy

involves their role in facilitating ER-mitochondria Ca^{2+} exchange.

A number of recent studies have demonstrated that damage to ER-mitochondria signaling occurs in neurodegenerative diseases such as Alzheimer and Parkinson diseases, and frontotemporal dementia with related amyotrophic lateral sclerosis. Dysregulation of autophagy has also been linked to these disorders. Our findings will therefore facilitate future investigations on the role of autophagy in neurodegenerative diseases.

Disclosure of potential conflicts of interest

No potential conflicts of interest were disclosed.

Funding

This work was supported by Parkinson UK, Alzheimer's Society, Alzheimer Research UK, MRC and the Wellcome Trust.

ORCID

Patricia Gomez-Suaga  <http://orcid.org/0000-0002-2388-8327>